

IN THE DRAWINGS

The attached sheets of drawings include changes to Figs. 15-17. These sheets, which include Figs. 15-17, replace the original sheets including Figs. 15-17.

Attachment: Replacement sheets

REMARKS/ARGUMENTS

Favorable reconsideration of this application is respectfully requested.

Claims 53-76 are pending in this application. Withdrawn claims 1-52 are canceled by the present response without prejudice.

The outstanding Office Action objected to the Abstract and disclosure and objected to claims 53, 62, 71, and 74.

With respect to the objection to the Abstract and the disclosure, the specification is amended throughout to no longer recite the term "lightbulb". The specification now more properly recites the term "light valve". The amendments are believed to address the objection to the Abstract and the disclosure.

With respect to the claim objections, each of claims 53, 62, 71, and 74 is amended by the present response to clarify the language therein. Specifically, those claims now clarify that the term "normal" does indicate a perpendicular to a surface. In the other instances where the term normal was utilized, the claims are amended to now more clearly refer to "a final image".

The specification is also amended accordingly so that throughout the specification the word "normal" is referring to a perpendicular; other previous uses of the term "normal" are now clarified in the specification.

The present response also sets forth replacement Figures 15-17. In replacement Figures 15-17 original vertical axis indicators 0.7, 0.75, 0.8, 0.85, 0.9, 0.95, and 1 MTF (%) on the vertical axis now correctly read 70, 75, 80, 85, 90, 95, and 100 MTF (%).


The changes in replacement Figures 15-17 are not believed to raise any issue of new matter.

In view of the above-noted amendments, the objection to claims 53, 62, 71, and 74 are believed to be overcome by the present response.

As no other issues are pending in this application, it is respectfully submitted that the present application is now in condition for allowance, and it is hereby respectfully requested that this case be passed to issue.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



---

Gregory J. Maier  
Registration No. 25,599  
Surinder Sachar  
Registration No. 34,423  
Attorneys of Record

Customer Number

**22850**

Tel: (703) 413-3000  
Fax: (703) 413 -2220  
(OSMMN 06/04)

I:\ATTY\SNS\24's\248509\248509US-AM.DOC